Pineapple Mushroom Pizza

Sample ID: BIA251031S1043
Strain: HL-CLTV0058-43
Harvest Lot: HL-CLTV0058-43
Matrix: Plant
Type: Flower - Cured
Sample Size: 8.15 g
Lot#:

Produced:
Collected:
Received: 10/31/2025
Completed: 11/07/2025
Batch#:

Client
Old Growth Vermont
Lic. # CLTV0058
1057 BRUCE BADGER MEMORIAL HWY
DANVILLE, VT 05828



Summary

Test	Date Tested	Result
Sample		Complete
Cannabinoids	11/05/2025	Complete
Moisture	11/04/2025	12.80% - Complete
Water Activity	11/04/2025	0.630 aw - Complete
Terpenes	11/05/2025	Complete
Microbials	11/07/2025	Complete

Cannabinoids

Completed

24.38%	0.07%	30.00%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBDVa	0.0003	<LOQ	<LOQ	
CBDV	0.0003	<LOQ	<LOQ	
CBDa	0.0005	0.08	0.8	
CBGa	0.0005	1.81	18.1	
CBG	0.0005	<LOQ	<LOQ	
CBD	0.0005	<LOQ	<LOQ	
THCV	0.0003	<LOQ	<LOQ	
CBLV	0.0003	0.12	1.2	
CBCV	0.0003	<LOQ	<LOQ	
THCVa	0.0003	<LOQ	<LOQ	
CBN	0.0005	<LOQ	<LOQ	

Analyte	LOQ	Results	Results	Mass
	mg/g	%	mg/g	mg/serving
CBCVa	0.0003	<LOQ	<LOQ	
CBNa	0.0003	<LOQ	<LOQ	
Δ9-THC	0.0005	0.22	2.2	
Δ8-THC	0.0003	<LOQ	<LOQ	
Δ10-THC*	0.0002	<LOQ	<LOQ	
CBL	0.0005	<LOQ	<LOQ	
CBC	0.0003	<LOQ	<LOQ	
THCa	0.0005	27.55	275.5	
CBCa	0.0006	0.23	2.3	
CBLa	0.0005	<LOQ	<LOQ	
Total THC		**24.38**	**243.79**	
Total CBD		**0.07**	**0.71**	
Total		**30.00**	**300.05**	**0.00**

Analyst: 056
Cannabinoids Methodology: High Performance Liquid Chromatography (HPLC) using PerkinElmer FLEXAR™ with Photo Diode Array Detector (PDA)
Total CBD and total THC are calculated values, to account for assumed decarboxylation from the acid form (THCA or CBDA) to the neutral form, causing weight loss of the acid group. These values are calculated as follows:
TotalTHC=(THCAx0.877)+Δ9-THC
Total CBD = (CBDA x 0.877) + CBD Reagent
Blanks: < LOQs for all analytes
LOQ = The lowest quantity that this method can reliably detect. Any cannabinoid that was not detected is assumed to be less than the stated LOQ (<LOQ).
All results reflect dry weight of material, based on % moisture of the sample.
Measurement of Uncertainty (MU): the parameter, associated with the result of a measurement, that characterizes the dispersion of the values that could reasonably be attributed to the particular quantity subject to measurement. Δ9-THC MU = ±0.005% Total THC MU = ±0.007%
All other cannabinoid MU values are available upon request.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.
*The result is the sum of delta-10 isomers.

Luke Emerson-Mason
Laboratory Director
11/07/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.

Pineapple Mushroom Pizza

Sample ID: BIA251031S1043
Strain: HL-CLTV0058-43
Harvest Lot: HL-CLTV0058-43
Matrix: Plant
Type: Flower - Cured
Sample Size: 8.15 g
Lot#:

Produced:
Collected:
Received: 10/31/2025
Completed: 11/07/2025
Batch#:


Client
Old Growth Vermont
Lic. # CLTV0058
1057 BRUCE BADGER MEMORIAL HWY
DANVILLE, VT 05828

Terpenes

Completed

Analyte	LOQ	Results	Results
	mg/g	mg/g	%
Terpinolene	0.010	5.567	0.557
β-Myrcene	0.010	2.916	0.292
Limonene	0.010	2.654	0.265
β-Caryophyllene	0.010	2.151	0.215
Ocimene	0.010	1.893	0.189
β-Pinene	0.010	1.857	0.186
3-Carene	0.010	1.840	0.184
α-Pinene	0.010	1.177	0.118
α-Humulene	0.010	0.786	0.079
Isopulegol	0.010	0.652	0.065
α-Terpinene	0.010	0.601	0.060
γ-Terpinene	0.010	0.481	0.048
Linalool	0.010	0.456	0.046
Eucalyptol	0.010	0.056	0.006
Camphene	0.010	0.037	0.004
α-Bisabolol	0.010	0.020	0.002
Caryophyllene Oxide	0.010	<LOQ	<LOQ
cis-Nerolidol	0.010	<LOQ	<LOQ
Geraniol	0.010	<LOQ	<LOQ
Guaiol	0.010	<LOQ	<LOQ
p-Cymene	0.010	<LOQ	<LOQ
trans-Nerolidol	0.010	<LOQ	<LOQ
Total		**23.143**	**2.314**

Primary Aromas



Analyst: 052
LOQ = The lowest quantity this method can reliably detect. Any terpene that was not detected is assumed to be less than the stated LOQ (<LOQ).
Terpene Methodology: Headspace Sampler, Gas Chromatography-Mass Spectrometry (GC-MS), using Perkin Elmer Clarus® SQ8 GC MS
Reagent Blanks: < LOQs for all analytes
All results reflect dry weight of material, based on % moisture of the sample.
All moisture and water activity analysis is determined by dewpoint measurement using an AQUALAB water activity meter.

Luke Emerson-Mason
Laboratory Director
11/07/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.

Pineapple Mushroom Pizza

Sample ID: BIA251031S1043
Strain: HL-CLTV0058-43
Harvest Lot: HL-CLTV0058-43
Matrix: Plant
Type: Flower - Cured
Sample Size: 8.15 g
Lot#:

Produced:
Collected:
Received: 10/31/2025
Completed: 11/07/2025
Batch#:

Client
Old Growth Vermont
Lic. # CLTV0058
1057 BRUCE BADGER MEMORIAL HWY
DANVILLE, VT 05828

Pathogens

Completed

Pathogens	LOD	Results
	CFU/g	CFU/g
Aspergillus	5	Not Detected
Shiga Toxin E. Coli	5	Not Detected
Salmonella SPP	5	Not Detected

Analyst: 049
Test Methodology: Bio-Rad IQ-Check PCR Kits
cfu/g = colony forming units per gram
LOD = The lowest quantity that this method can reliably detect. Any microbial growth that was not detected is assumed to be less than the stated LOD (<LOD).
Reagent Blanks: <LOD for all analytes

Luke Emerson-Mason
Laboratory Director
11/07/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

This report shall not be reproduced except in full without approval of the laboratory. This is to provide assurance that parts of a report are not taken out of context. All results apply to this sample as received.